



HORIZONT

HIGHLIGHTS 2026



POWER SOLUTIONS FOR THE PASTURE

Discover our new mains energisers now:
Powerful, reliable and excellent value for money!

EVEN MORE CONDUCTIVE

Many of our electric fence nets now
benefit from improved conductivity.

EVERYTHING FOR HOBBY FARMING

Discover our new products for poultry farming,
small animal husbandry and gardening.



POWERFUL

ENERGISERS

POWERFUL MAINS ENERGISERS FOR PASTURE FENCING

The farmer® N3000 and N5000 are the ideal energisers for all farmers and livestock owners who are looking for powerful, durable, and competitively priced energisers. Whether for horses, cattle, sheep, pigs or game, these 230 V mains energisers can handle any challenge on medium to large fencing systems. A particularly noteworthy feature is the integrated surge protection, which reliably protects the energisers from voltage spikes and lightning damage – an additional plus in terms of safety and durability.

Turning on and off

Practical and user-friendly



Simple wall mounting

Suspension devices on the rear for vertical or horizontal mounting



Strong performance at a low price

Powerful, reliable and
particularly economical to operate

farmer® N3000

- 4 joules input
- 3 joules output
- 13,400 volts max. voltage

Item No. 10968



farmer® N5000

- 6,9 joules input
- 5 joules output
- 14,000 volts max. voltage

Item No. 10969



OUR ALL-IN-ONE SYSTEMS

The high-quality solar panel is integrated into the housing of the ranger® AS1000SC and AS1800SC polycarbonate energiser systems. This means that you get all the components you need to electrify your electric fence in one compact case: a solar panel integrated into the case lid, an energiser, a rechargeable battery, fence and earth connection material, an earth stake and a warning sign.

ranger® AS1000SC

- 1.3 joules input
- 1 joules output
- 10,600 V max. voltage
- Including lead-fleece battery 12 V / 12 Ah (item no. 15842)

Item No. 10893



ranger® AS1800SC

- 2.4 joules input
- 1.8 joules output
- 10,800 V max. voltage
- Including lead-fleece battery 12 V / 12 Ah (item no. 15842)

Item No. 10894



Optimal alignment

Metal post with bracket for the optimum angle of inclination of the solar module.



Flexibility

If required, the energiser can be operated from the mains. The case is designed to accommodate a power supply unit.




Double duration

The case is designed to accommodate a second battery.



ENHANCED BATTERY LIFE

Thanks to an optimised circuit board combined with high-quality electronic components and software-controlled energy management, many of our energisers now offer significantly longer battery life. The improved technology uses the available energy even more efficiently, enabling longer operating times – **saving not only time but also costs**. This allows you to benefit from maximum performance with reduced energy consumption.



**RECOGNISABLE
AT A GLANCE**



extended battery life,
deep discharge
protection and power
saving circuit

DEEP DISCHARGE PROTECTION & POWER SAVING CIRCUIT

In addition to extended battery life, the marked energisers feature reliable deep discharge protection and intelligent power-saving circuit. This ensures that the battery remains optimally protected and energy is used efficiently.



trapper® AN80

- Maximum voltage 8,400 volts, 1.2 joules input, 0.8 joules output
- Ideal for dogs, cats, rabbits, martens, herons, etc.
- Dual power energiser – 230 V mains power or 12 V battery
- Solar operation possible
- Power Control - activity indicator on the energiser
- Integrated power saving circuit and deep discharge protection

Item No. 10866



trapper® AN45

- Maximum voltage 7,900 volts, 0.8 joules input, 0.45 joules output
- Ideally suited for small fences at home, for yards and for gardens
- Dual power energiser – 230 V mains power or 12 V battery
- Solar operation possible
- Power Control - activity indicator on the energiser
- Integrated power saving circuit and deep discharge protection

Item No. 10867





trapper® AN120

- Maximum voltage 8,600 volts, 2.4 joules input, 1.2 joules output
- Ideal for simple pastures up to 12 km in length
- Solar operation possible
- Dual power energiser – 230 V mains power or 12 V battery
- Power Control - activity indicator for the energiser
- Integrated power saving circuit and deep discharge protection



Item No. 10865



KUBE ARGUS® 300 ABN

- Maximum voltage 11,600 volts, 0.4 joules input, 0.3 joules output
- Ideal for calm grazing animals and fence lengths up to 5 km
- Integrated power-saving circuit and deep discharge protection
- Eco-Power for lower power consumption and reduced costs

Item No. 10910



KUBE ARGUS® 600 ABN

- Maximum voltage 11,600 volts, 0.75 joules input, 0.6 joules output
- Ideal for calm grazing animals and fence lengths up to 6.5 km
- Integrated power-saving circuit and deep discharge protection
- Eco-Power for lower power consumption and reduced costs

Item No. 10920





OPTIMAL HERDING SECURITY

WITH THE POWER OF THE SUN

FRESH LOOK, IMPROVED FEATURES


Our farmer® AS50, trapper® AS25 and farmer® AS180 solar energisers now feature a new colour design. The solar panel has also been redesigned and impresses with a new, UV-resistant surface. Inside, an improved circuit board with additional power saving circuit and deep discharge protection ensures even greater efficiency and reliability in daily use.

OLD DESIGN



NEW DESIGN

Power saving circuit & deep discharge protection
for maximum energy efficiency and longer battery life




Improved solar panel
with UV-resistant surface

Improved circuit board
for a longer battery life



extended battery life,
deep discharge
protection and power
saving circuit



extended battery life,
deep discharge
protection and power
saving circuit

farmer® AS50

- Maximum voltage 11,000 volts, 0.65 joules input, 0.5 joules output
- Ideal for calm grazing animals and fence lengths up to 11 km
- Includes solar module and 12 V battery as a compact unit with integrated solar charge controller
- Integrated power saving circuit and deep discharge protection
- Intuitive Energy Control LED display

Item No. 144851 (Available from January 26)



trapper® AS25

- Maximum voltage 9,000 volts, 0.33 joules input, 0.25 joules output
- Ideal for calm grazing animals and fence lengths up to 5 km
- Includes solar module and 12 V battery as a compact unit with integrated solar charge controller
- Integrated power saving circuit and deep discharge protection
- Intuitive Energy Control LED display


Item No. 149821 (Available from January 26)



farmer® AS180

- Maximum voltage 10,000 volts, 2.5 joules input, 1.8 joules output
- Powerful solar-powered energiser system
- Ideal for fence lengths of up to 14 km without vegetation
- Compact unit consisting of energiser and 24 W solar module
- Integrated power saving circuit and deep discharge protection

Item No. 109191 (Available from January 26)



extended battery life,
deep discharge
protection and power
saving circuit






MAKING OPTIMAL USE OF SOLAR ENERGY

BATTERY-POWERED SOLAR ENERGISERS

MAXIMUM SOLAR ENERGY, MAXIMUM PERFORMANCE

Clever use of solar energy: our energisers with integrated 12 V batteries and matching solar modules guarantee maximum efficiency.



ranger® ABN60


- Maximum voltage 11,000 volts, 0.65 joules input, 0.6 joules output
- Ideal for fence lengths of up to 6.5 km
- Integrated power saving circuit adjusts power consumption to the pasture fence
- Automatic switchover to solar operation
- Integrated deep discharge cut-off protects your battery effectively

Item No. 10983



Expandable with:

Item No. 14511



farmer® ABN30

- Maximum voltage 10,000 volts, 0.4 joules input, 0.3 joules output
- Ideal for fence lengths of up to 5.8 km
- Integrated power saving circuit adjusts power consumption to the pasture fence
- Automatic switchover to solar operation
- Integrated deep discharge cut-off effectively protects your battery

Item No. 10891



Expandable with:

Item No. 14499

ranger® AS180**+5%**

extended battery life,
deep discharge
protection and power
saving circuit

Item No. 10987

**ranger® AS120****+25%**

extended battery life,
deep discharge
protection and power
saving circuit

Item No. 10986

**SUN FOLLOWER**

Depending on the season, the correct angles are preset to make the most of the ideal sunlight.

**Transport****position****Preset****angles**



STRONG NETS FOR ANY APPLICATION

OUR NETTING-HIGHLIGHTS

VISIBILITY THAT PROTECTS



The new sheep net with blue and white strands ensures high visibility in the pasture. The blue signal color is easily recognized by wild animals and increases the deterrent effect—for optimal protection of your animals.

HORIZONT SHFPP NET KOMBI

- **Dimensions: 90 cm high, 50 m long**
- **Lower mesh size 10 cm x 30 cm**
- **High visibility thanks to blue and white color scheme for greater safety**
- **Excellent stability thanks to rigid verticals**
- Effortless assembly thanks to a low weight of only 6 kg
- Durable and resistant thanks to robust construction
- Practical repair kit included in scope of delivery

90 cm Single spike Color:   Item No. **14750** Available from 02/2026

90 cm Double spike Color:  Item No. **14751** Available from 02/2026



UP TO 200% HIGHER CONDUCTIVITY FOR MAXIMUM PERFORMANCE

Many of our pasture netting products now feature improved conductivity. This ensures even more reliable herd safety.



RECOGNIZABLE
AT A GLANCE



VERTICAL SHEEP AND GOAT NET


- Dimensions: 90 cm high, 50 m long
- NEW: improved conductivity
- Lower mesh size 15 cm x 15 cm
- High conductivity for optimum herd safety
- Dual safety thanks to vertical power routing - if one strand breaks, the power supply is still guaranteed
- High-quality posts for high stability
- High-quality copper conductors

90 cm Single spike Color: ●● Item No. 14364
90 cm Double spike Color: ●● Item No. 14365



Vertical power routing

horizontal and vertical power routing strands ensure a continuous power supply even in the event of a break.

**Note**

The additional grounding conductor ensures good grounding even in dry conditions.

HORINETZ SHEEP AND GOAT NET

- Dimensions: 90 / 105 / 120 cm high, 50 m long
- NEW: improved conductivity
- Lower mesh size 15 cm x 15.5 cm
- High load capacity possible
- Suitable for wolf defense
- Quick and easy to set up
- 14 x plastic posts with single or double spikes


90 cm	Double spike	NEW: 0,920 Ω / m	Color: ● ● Item No. 15465
90 cm	Single spike	NEW: 0,920 Ω / m	Color: ● ● Item No. 15464
105 cm	Double spike	NEW: 0,822 Ω / m	Color: ● ● Item No. 15472
105 cm	Single spike	NEW: 0,822 Ω / m	Color: ● ● Item No. 15471
120 cm	Double spike	NEW: 0,740 Ω / m	Color: ● ● Item No. 14147
120 cm	Double spike + grounding conductor	NEW: 0,740 Ω / m	Color: ● ● Item No. 14543



SHEEP NET TURBOMAX EXTRA

- Dimensions: 90 cm high, 50 m long
- NEW: improved conductivity**
- Lower mesh size 10 cm x 30 cm
- Particularly high stability thanks to rigid vertical connections
- Reinforced top and bottom strands for high load capacity and stability
- Safe protection even for small lambs
- 14 x plastic posts with double spikes

90 cm Double spike **NEW: 0.100 Ω / m** Color: ●○ Item No. 15219






ranger®
POULTRY NET 105 CM

- Dimensions: 105 cm high, 50 m long
- NEW: improved conductivity**
- Lower mesh size 5 cm high and 7.5 cm wide
- High-quality posts for high stability
- Ideal for poultry, dogs, cats, and other small animals, as well as for home and garden applications
- Optimal visibility thanks to striking yellow color

105 cm Single spike **NEW: 0,670 Ω / m** Color: ● ● Item No. 15587

105 cm Double spike **NEW: 0,670 Ω / m** Color: ● ● Item No. 15693







farmer® SMALL ANIMAL NET

- Dimensions: 50 cm high, 25 m long
- **NEW: improved conductivity**
- Lower mesh size 5 cm high and 7.5 cm wide
- Quick and easy installation
- Close mesh spacing for special protection of your animals
- horizont quality with high-grade stainless steel conductors
- High-quality posts for excellent stability
- Scope of delivery includes a free repair kit

90 cm Single spike **NEW: 0.920 Ω / m** Color:  Item No. **15195**





BOUNDARY FENCE FIX

for fencing
off small areas




BOUNDARY FENCE FIX

- Dimensions: 90 cm high, 25 m long
- Color: green
- Mobile fence for gardens, camping, and small animals
- Ideal for fencing off areas or creating boundaries
- 15 integrated fiberglass posts (+2 additional posts)
- Small mesh size of 17 x 17 mm
- Easy to assemble and dismantle

Item No. 14693


SUITABLE WITH:



HOTGATE - GATE FOR BOUNDARY FENCES

- Suitable for nets up to 90 cm high
- Gate width 81 cm
- Color: black
- Quick and safe passage to your pasture
- Sturdy posts with double tips for secure support
- Gate can be mounted at any position on the net
- Small mesh size of 17x17 mm for reliable protection

Item No. 14697




POULTRY NET farmer®

- Dimensions: 110 cm high, 50 m long
- Color: green
- High conductivity for optimal herd safety
- 15 integrated fiberglass posts (+2 additional posts)
- Small mesh size prevents animals from slipping through
- Stable even on hilly terrain or uneven ground
- Scope of delivery includes a comprehensive service set

Item No. **14654**

SUITABLE WITH:



HOTGATE - GATE FOR POULTRY NETTING

- Suitable for nets up to 120 cm high
- Gate width 86 cm
- Color: green
- Robust and stable thanks to high-quality PVC posts with double spikes
- Additional protection and security through electrification of the gate
- Specially designed for use in poultry pastures
- Scope of delivery includes connection and joining accessories

Item No. **14665**

T-POST ECO – THE DURABLE AND STABLE SOLUTION FOR PASTURE FENCING

1,52 M | 1,67 M | 1,82 M

- Durable and stable alternative to wooden posts
- Made from robust rail steel
- Environmentally friendly, high-quality dip coating for surface protection
- Ideal for farmers and livestock owners
- Slim T-profile with solid anchor plate for high stability
- Can be driven into the ground effortlessly with a hand ram up to the base plate
- Extremely stable in the ground
- Particularly suitable for wolf-proof fencing
- Flexible use as corner, section, gate, start, or end post

T-POST ECO | 1,52 M


10 pcs.	Item No. 145501-10
50 pcs.	Item No. 145501-50
100 pcs.	Item No. 145501-100
200 pcs.	Item No. 145501-200

T-POST ECO | 1,67 M

10 pcs.	Item No. 145511-10
50 pcs.	Item No. 145511-50
100 pcs.	Item No. 145511-100
200 pcs.	Item No. 145511-200

T-POST ECO | 1,82 M

10 pcs.	Item No. 145521-10
50 pcs.	Item No. 145521-50
100 pcs.	Item No. 145521-100
200 pcs.	Item No. 145521-200



INSULATORS FOR T-POSTS



TOP INSULATOR



**ROPE
INSULATOR**



**TAPE
INSULATOR**



RING INSULATOR

TOP INSULATOR FOR T-POSTS

Item No. 145601

- Protects people and animals from injury
- Quick and easy to install
- UV-resistant, durable plastic
- 25 pieces per bag



ROPE INSULATOR FOR T-POSTS

Item No. 145621

- Universally applicable
- Quick and easy installation
- Secure hold
- 25 pieces per bag



TAPE INSULATOR FOR T-POSTS

Item No. 145641

- Precise fit and secure hold
- For straps up to 50 mm wide
- Robust and durable
- 25 pieces per bag



RING INSULATOR FOR T-POSTS

Item No. 145681


- Versatile application
- Easy installation
- Precise fit and secure hold
- 25 pieces per bag



T-POSTS ACCESSORIES

WEDGE-LOC BRACING PARTS FOR FENCE CORNERS

- Quick installation of fence corners, section reinforcements and gate posts
- High stability thanks to the truss system with T-posts
- Reusable: easy to dismantle and reuse elsewhere
- Lightweight, durable aluminium
- Set consists of: 3x crowns, 3x wedges, 4x 60° sleeves



Item No. 14569

NEW



POST DRIVER FOR T-POSTS

- Ideal for installing T-posts
- Ergonomic handles for comfortable working
- Efficient even on difficult terrain

Item No. 14557



EXTRACTOR FOR T-POSTS

- Easy removal of T-posts
- Long lever for reduced effort
- Base plate for additional support

Item No. 14558

ELECTRIC FENCE WIRE turbomax® W12

- 200m
- Highest conductivity for maximum security
- Thanks to the black monofilament, the human eye perceives the wire less visually in the environment
- Perfect for pastures, gardens or properties where the fence should not be conspicuous

Discreet solution

Black monofilaments make the wire virtually invisible

Item No. 17142SW





ELECTRIC GRASS

THE INCONSPICUOUS ELECTRIC FENCE SOLUTION

ELECTRIC GRASS

Our electric grass offers an innovative solution for temporary or inconspicuous fencing. Ideally suited for protecting flower beds, shrubs, and ornamental plants in gardens or parks - as well as serving as a flexible barrier for smaller animal areas in zoos and wildlife parks. With its natural appearance, the system blends harmoniously into its surroundings while providing a reliable electric deterrent.



HOW IT WORKS:

- Works like a classic electric fence – with conductive steel stalks
- Unobtrusive, natural design blends in perfectly with any environment
- Easy to set up: connect the grasses without special tools, crimping pliers are sufficient
- Flexible and mobile: easy to assemble and disassemble thanks to the internal thread in the ground anchor (M6)
- Adaptable to terrain and location
- Protective caps on the blades for safe handling
- Ideal for temporary fencing or areas with high design requirements




Optimally combinable

with the energiser trapper AS25
(page 7)



Grasses can easily be bound together by hand

for quick and easy installation



Secure the connection of the grasses with crimping pliers

no special tools required,
stable and reliable



EVERYTHING FOR

HOBBY POULTRY FARMERS

PLASTIC CHICKEN COOPS

Sturdy, weatherproof and practical – the perfect coop for 4–8 chickens. Thanks to the recycled plastic and raised design that protects against pests, Harmony chicken coops fit perfectly into your garden. The smooth surface offers no hiding places for pests and is easy to clean.



CHICK'A® CHICKEN COOP HARMONY

NEW

- Ideal for beginners and hobby farmers with 4–8 chickens
- Made from 70% recycled plastic – sturdy, weatherproof and with a 7-year guarantee on plastic parts
- Raised design to protect against pests and moisture

Chicken coop for up to 4 chickens Item No. 38CHI595500
 Chicken coop for up to 6 chickens Item No. 38CHI595501
 Chicken coop for up to 8 chickens Item No. 38CHI595502



External nest

For easy egg collection



Raised construction

Does not provide shelter for pests

WOODEN CHICKEN COOPS

Thanks to their natural appearance, these wooden houses blend into any garden environment while offering impressive durability and stability. With their well-thought-out design, practical details and ample space, these chicken houses with aviaries are suitable for up to 12 chickens.

CHICKEN COOP NORWAY

- Suitable for up to 12 chickens
- Overall dimensions: 190 cm (W) × 245 cm (L) × 190 cm (H)
- Spacious, raised shelter with convenient ladder for easy access
- Laying nest with hinged door for easy and safe egg collection

Internal nest

Features an outside flap for egg collection

Item No. 38595424



CHICKEN COOP OSLO

- Suitable for up to 12 chickens
- Overall dimensions: 195 cm (W) × 278 cm (L) × 180 cm (H)
- Spacious coop with a sheltered retreat and a large outdoor run
- Laying nest with 3 compartments, easily accessible from the outside

External nest

With 3 compartments and access flap

Item No. 38595403





AUTOMATIC CHICKEN COOP DOOR

Protection for the chickens and convenience for the owner are combined. The chicken flaps open and close automatically, so your chickens have access to the run during the day and can rest safely in the chicken coop at night, protected from predators.

AUTOMATIC CHICKEN COOP DOOR OPENER

- Automatic control via light sensor – opens and closes the flap depending on daylight
- Individual control via timer – opening and closing possible at the desired time
- Control via timer and light sensor can be combined
- Integrated safety function prevents your chickens from getting trapped

Item No. 389595614



Vertical opening

ideal for Harmony chicken coops



Flexibly expandable

with matching solar panel or power supply unit



Suitable with:

POWER SUPPLY UNIT FOR AUTOMATIC CHICKEN DOOR

- 5 V power supply unit



Item No. 389595614001

SOLAR PANEL FOR AUTOMATIC CHICKEN DOOR

- Power: 2 W
- With robust bracket
- Integrated batteries

Item No. 389595614002





AUTOMATIC CHICKEN DOOR ALL-IN-ONE

- Maximum safety thanks to anti-pinch protection
- Dual power supply (battery and solar-powered rechargeable battery)
- Light sensor: Automatic opening and closing in daylight
- Timer: Control via set times
- Mix mode: Combination of both functions for maximum flexibility

Item No. 38595614001



Horizontal opening

ideal for low stables and tight spaces

All-in-One

with integrated solar panel and built-in lithium battery



DIATOMACEOUS EARTH (3 KG)

- Non-toxic for humans
- Can be used indoors as well as outdoors
- Perfect for disinfecting, drying, and eliminating odors



PROBIOTIC FEED SUPPLEMENT FOR POULTRY (360 G)

- Natural probiotics to promote intestinal health
- Improves the laying performance
- High-quality ingredients



COCONUT LITTER (100 L)

- Environmentally conscious and sustainable
- High absorbency and effective odor neutralization
- Coarse structure for a soft, well-ventilated surface

Item No. 38000700300

Item No. 38001700

Item No. 38000800



PLASTIC LAYING NEST "MYCOZYNEST" FOR CHICKENS

- Undisturbed, protected laying area in a modern design thanks to a blackout curtain that reduces the incidence of light
- Easy egg removal due to good handling
- Easy installation thanks to wall mounting

Item No. 34860



OPTIMUS PLASTIC POULTRY DRINKER I TWO-PART TANK I 25 L

- The two-part design makes it easy to clean the drinking trough from the inside
- Special color pigments prevent light from entering the tank and prevent algae growth
- Robust construction: stable base and rustproof brass valve with shut-off tap

Item No. 34861



NEW

CHICKEN FEED TROUGH WITH VELCRO FASTENING

- Innovative velcro fastening system - quick, tool-free attachment to fences, stables or trees
- 100% recycled materials

Item No. 34863



NEW

CHICKEN SNACK TOWER

- Two levels with feeding holes, skewer, and holders for fruit and vegetables
- Different feeding heights – perfect for keeping chickens occupied
- 100% recycled materials

Item No. 34864



COPELE SIPHON POULTRY DRINKER I WITH LEGS

NEW



20 L

30 L

40 L

Poultry drinker 20 L Item No. 34866

Poultry drinker 30 L Item No. 34867

Poultry drinker 40 L Item No. 34868

COPELE POULTRY FEEDER I WITH LEGS

NEW



12 kg

18 kg

24 kg

Poultry feeder 12 kg Item No. 34869

Poultry feeder 18 kg Item No. 34870

Poultry feeder 24 kg Item No. 34871



EVERYTHING FOR

CLAW CARE

NEW



ELECTRIC CLAW SHEARS I INCLUDES 2 BATTERIES

- Precise and clean hoof trimming for sheep
- Compact, lightweight, and particularly easy to handle
- Long runtime thanks to 2 powerful batteries
- Brushless motor for efficiency and durability
- 2-in-1 function – hoof trimmer and shrub shears in one tool
- Comes complete in a case – ready for immediate use

Item No. 38106615100

NEW



REPLACEMENT BLADE FOR ELECTRIC HOOF TRIMMING SHEARS

- Easy to use – quick change without much effort
- Safe cut – reduces the risk of injury to animals and users
- Durable – high-quality materials ensure reliable use

Item No. 38106615200

NEW



REPLACEMENT BATTERY FOR ELECTRIC CAMPAGNOLA SHEARS I 2,5 AH

- Long running time
- Quickly ready for use again
- Compatible & flexible

Item No. 38106615300

LUBRICATING GREASE SPRAY FOR ELECTRONIC SHEARS 1 200 ML

- Extends the service life of the blades
- Provides reliable protection against water, dirt, and abrasion
- Ensures smooth and effortless cutting
- Easy to use

Item No. 38106615400



NEW

CLAW ADHESIVE FOR CATTLE

Our SEPTICARE II products make attaching blocks efficient, precise, and safe. The high-quality claw adhesive SEPTICARE II BOND EXPRESS impresses with its strong adhesion to any surface and is particularly easy to apply thanks to the XL II dispenser gun and precisely fitting cannulas. Whether in the barn or on the go, the system is perfectly coordinated and ensures clean, fast application with optimal results.

SEPTICARE XL II BOND EXPRESS GUN

- Gun for applying XL format adhesive SEPTICARE II BOND EXPRESS
- Fits comfortably in the hand
- High-quality material


Item No. 38106652003



SEPTICARE XL II BOND EXPRESS CANNULA

- Precisely tailored design: Developed for the 250 ml cartridge of SEPTICARE II BOND EXPRESS
- Uniform mixing and application: The cannulas enable precise dosing and perfect mixing of both components
- Practical bulk pack: Supplied in a set of 10 cannulas for regular use

Item No. 38106652002



SEPTICARE II BOND EXPRESS ADHESIVE CARTRIDGE

- Practical 250 ml cartridge, ideal for up to 10 blocks
- Long-lasting: 2-year shelf life from date of manufacture
- Versatile: Adheres to any surface
- Application temperature: From 0 °C, easy to store and use

Art.-Nr. 38106652001





NEW

Light sensor

Darkness activates the device


Effective defense

Thanks to highly effective ultrasonic signals


Mounting plate

for easy installation and removal for charging


RACCOON REPELLENT ULTRASOUND

- Repels raccoons and other pests in attics, gardens, and garbage cans
- Intelligent light sensor – activates the device only in darkness (< 4 lux), thus saving energy and avoiding disturbances during the day
- Ultrasonic technology – unpleasant for raccoons, but harmless
- Long-life battery with up to 40 days of runtime and rechargeable via USB-C

Item No. 34862



EXPLORER TOWER LAMP I 6000 LUMEN

- 6000 lumen brightness
- 3 lamp heads, individually positionable
- 3 brightness and color temperature settings
- With USB-C charging cable, charging indicator, and practical carrying bag
- Flexible attachment thanks to magnetic and hook mount


Item No. 47TL6000



ELECTRIC GARDEN SHEARS WITH RECHARGEABLE BATTERY

- Compact and ergonomic – easy to use
- High performance even with thicker branches up to 32 mm in diameter
- Robust and durable thanks to modern technology
- Complete kit for immediate use
- Makes gardening easier and promotes enjoyment of gardening

Item No. 38106615






Experience online!

SIGN UP AND STAY UP TO DATE

Subscribe to our newsletter and be automatically informed about our changing offers.



YOUR DIRECT ROUTE TO US.

The QR code takes you directly to the registration page, more product information, current prices, and exciting offers!

WWW.B2B-ANIMALCARE.HORIZONT.COM/EN

horizont group gmbh
Animal Care

Horberger Weg 4-6
34497 Korbach, Germany
+49 (0) 56 31 / 5 65 - 1 00
+49 (0) 56 31 / 5 65 - 1 20
animalcare@horizont.com
www.animalcare.horizont.com



All information is subject to typographical and printing errors. Prices and products are subject to change without notice. Reprinting, even in part, and use of images is only permitted with the written consent of horizont group gmbh.

Item No. 15771-26UK - Stand 12/2025