

according to Regulation (EC) No 1907/2006

# **SEPTICARE II Bond Express XL Component B**

Revision date: 27/09/2024 Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

SEPTICARE II Bond Express XL Component B

**Product code:** 106652001

UFI: Y6NA-0QMJ-J002-DQAX

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives, sealants (Curing agent) Restricted to professional users.

# 1.3. Details of the supplier of the safety data sheet

UKAL Élevage Company name:

Street: 2 rue de l'Etang Parc économique de la Sauer

Place: F-67360 ESCHBACH

Telefax: +33 3 88 07 40 14 Telephone: +33 3 88 07 40 15

E-mail (Contact person): ukalel@ukal.com Internet: www.ukal.com

#### 1.4. Emergency telephone

+49 55 11 92 40 GIZ Nord Göttingen (24 / 7) number:

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

# Regulation (EC) No 1272/2008

#### Hazard components for labelling

4,4'-Methylenediphenyl diisocyanate, oligomers MDI-based polyisocyanate-prepolymer

Danger Signal word:

**Pictograms:** 





#### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



according to Regulation (EC) No 1907/2006

## **SEPTICARE II Bond Express XL Component B**

Revision date: 27/09/2024 Page 2 of 10

#### **Hazard statements**

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

## **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves and eye protection/face protection.
P284 In case of inadequate ventilation wear respiratory protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of waste according to applicable legislation.

#### Special labelling of certain mixtures

EUH204 Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

## Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC)	No 1272/2008)		
25686-28-6	4,4'-Methylenediphenyl diisocyanate, oligomers			70 - 80 %
	500-040-3		01-2119457013-49	
	Carc. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, STOT RE 2; H351 H332 H315 H319 H334 H317 H335 H373			
	MDI-based polyisocyanate-prepolymer			20 - 30 %
	Carc. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, STOT RE 2; H351 H332 H315 H319 H334 H317 H335 H373			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cor	nc. Limits, M-factors and ATE	
25686-28-6	500-040-3	4,4'-Methylenediphenyl diisocyanate, oligomers	70 - 80 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 9400 mg/kg; oral: LD50 = > 5000 mg/kg Skin Irrit. 2; H315: >= 5 - 100 Eye Irrit. 2; H319: >= 5 - 100 Resp. Sens. 1; H334: >= 0,1 - 100 STOT SE 3; H335: >= 5 - 100		
		MDI-based polyisocyanate-prepolymer	20 - 30 %
	inhalation: A	ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists)	

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice.

If unconscious but breathing normally, place in recovery position and seek medical advice.

#### After inhalation

Provide fresh air. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Medical



according to Regulation (EC) No 1907/2006

# **SEPTICARE II Bond Express XL Component B**

Revision date: 27/09/2024 Page 3 of 10

treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

# After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2), Extinguishing powder, Water spray jet. In case of major fire and large quantities: Water spray jet, alcohol resistant foam.

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

In case of fire may be liberated: Pyrolysis products, toxic.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Evacuate area.

# For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

# For emergency responders

Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

# For containment

Stop leak if safe to do so.

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information



according to Regulation (EC) No 1907/2006

# **SEPTICARE II Bond Express XL Component B**

Revision date: 27/09/2024 Page 4 of 10

Clean contaminated articles and floor according to the environmental legislation.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

# Advice on protection against fire and explosion

Usual measures for fire prevention.

# Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

## 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Handle and open container with care.

# Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

#### Further information on storage conditions

Protect from moisture. Store in a cool dry place.

## 7.3. Specific end use(s)

Adhesives, sealants (Curing agent) Restricted to professional users.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
101-68-8	4,4'-Methylene-diphenyl diisocyanate (as -NCO)	0.005			TWA (8 h)	

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
25686-28-6	4,4'-Methylenediphenyl diisocyanate, oligomers			
Worker DNE	L, long-term	inhalation	local	0,05 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	0,1 mg/m³
Consumer DNEL, long-term		inhalation	local	0,025 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	0,05 mg/m <sup>3</sup>

# **PNEC values**

CAS No	Substance		
Environment	Environmental compartment		
25686-28-6 4,4'-Methylenediphenyl diisocyanate, oligomers			
Freshwater 1 m		1 mg/l	
Marine water		0,1 mg/l	
Micro-organisms in sewage treatment plants (STP)		1 mg/l	
Soil		1 mg/kg	



according to Regulation (EC) No 1907/2006

# **SEPTICARE II Bond Express XL Component B**

Revision date: 27/09/2024 Page 5 of 10

## 8.2. Exposure controls





## Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

# Individual protection measures, such as personal protective equipment

# Eye/face protection

Use eye protection according to EN 166. Tightly sealed safety glasses.

#### Hand protection

Wear suitable gloves tested to EN374.

Suitable material: Butyl caoutchouc (butyl rubber), NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber), FKM (fluoro rubber).

Thickness of the glove material: >= 0,35 - 0,5 mm

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

# Skin protection

Wear suitable protective clothing.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

short-term: Combination filter device (DIN EN 141).. Filter type: A/P2

long-term: Self-contained respirator (breathing apparatus) Self-contained respirator (breathing apparatus)

#### Thermal hazards

No information available.

# **Environmental exposure controls**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: characteristic
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

> 300 °C

boiling range:

Flammability: This material is combustible, but will

not ignite readily.

not determined Lower explosion limits: Upper explosion limits: not determined Flash point: > 200 °C Auto-ignition temperature: > 400 °C Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: not determined Water solubility: **Immiscible** 



according to Regulation (EC) No 1907/2006

# **SEPTICARE II Bond Express XL Component B**

Revision date: 27/09/2024 Page 6 of 10

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure (at 20 °C):

Density (at 20 °C):

Relative vapour density:

Particle characteristics:

not determined

not determined

not determined

not applicable

9.2. Other information

Other safety characteristics

Viscosity / dynamic (at 20 °C): 700 mPa·s

**Further Information**No information available.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

Protect from moisture.

# 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Pyrolysis products, toxic.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# **Acute toxicity**

Harmful if inhaled.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 11,00 mg/l; ATE (inhalation dust/mist) 1,500 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
25686-28-6	4,4'-Methylenediphen	4,4'-Methylenediphenyl diisocyanate, oligomers			
	oral	LD50 > 5000 mg/kg	Rat	Pre-supplier/manufa cturer	
	dermal	LD50 > 9400 mg/kg	Rat	Pre-supplier/manufa cturer	
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
	MDI-based polyisocyanate-prepolymer				
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

# Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.



according to Regulation (EC) No 1907/2006

# **SEPTICARE II Bond Express XL Component B**

Revision date: 27/09/2024 Page 7 of 10

Serious eye damage/eye irritation: Causes serious eye irritation.

## Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (4,4'-Methylenediphenyl diisocyanate, oligomers; MDI-based polyisocyanate-prepolymer)

May cause an allergic skin reaction. (4,4'-Methylenediphenyl diisocyanate, oligomers; MDI-based polyisocyanate-prepolymer)

Contains isocyanates. May produce an allergic reaction.

# Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (4,4'-Methylenediphenyl diisocyanate, oligomers; MDI-based polyisocyanate-prepolymer)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (4,4'-Methylenediphenyl diisocyanate, oligomers; MDI-based polyisocyanate-prepolymer)

#### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (4,4'-Methylenediphenyl diisocyanate, oligomers; MDI-based polyisocyanate-prepolymer)

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

oral, Skin contact, Eye contact, Inhalation.

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

## 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

# 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

# **Further information**

Avoid release to the environment.



according to Regulation (EC) No 1907/2006

# **SEPTICARE II Bond Express XL Component B**

Revision date: 27/09/2024 Page 8 of 10

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

# Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

14.1. UN number or ID number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

14.1. UN number or ID number:

 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:

 No dangerous good in sense of this transport regulation.

 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

## Marine transport (IMDG)

14.1. UN number or ID number:

 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:

 No dangerous good in sense of this transport regulation.

 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

**ENVIRONMENTALLY HAZARDOUS: No** 

#### 14.6. Special precautions for user

No information available.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information

0 %

20 regulatory illionilation

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 56, Entry 74

Directive 2010/75/EU on industrial

emissions:

Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).



according to Regulation (EC) No 1907/2006

# **SEPTICARE II Bond Express XL Component B**

Revision date: 27/09/2024 Page 9 of 10

Water hazard class (D): 1 - slightly hazardous to water

**Additional information** 

Observe in addition any national regulations!

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Irrit: Eye irritation

Resp. Sens: Respiratory sensitisation

Skin Sens: Skin sensitisation

Carc: Carcinogenicity

STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

CLP: Classification, Labelling and Packaging

REACh: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

EC/EEC: European Community/European Economic Community

EU: European Union

CAS: Chemical Abstracts Service
M-Factor: Multiplication Factor
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute Toxicity Estimate LC50: Lethal Concentration, 50%

LD50: Lethal Dose, 50% LL50: Lethal Loading, 50% EL50: Effect Loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

**BCF**: Bio-Concentration Factor

PBT: Persistent, Bioaccumulative, Toxic vPvB: very Persistent, very Bioaccumulative

ADR: Accord européen sur le transport des marchandises Dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the International carriage of Dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises Dangereuses par voies de Navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

TI: Technical Instructions

DGR: Dangerous Goods Regulations

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds

IE: Industrial Emissions

SVHC: Substance of Very High Concern

# Key literature references and sources for data

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety



according to Regulation (EC) No 1907/2006

# **SEPTICARE II Bond Express XL Component B**

Revision date: 27/09/2024 Page 10 of 10

assessment, chapter R.20 (Table of terms and abbreviations). (v.1.2, 2013)

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure		
Acute Tox. 4; H332	Calculation method		
Skin Irrit. 2; H315	Calculation method		
Eye Irrit. 2; H319	Calculation method		
Resp. Sens. 1; H334	Calculation method		
Skin Sens. 1; H317	Calculation method		
Carc. 2; H351	Calculation method		
STOT SE 3; H335	Calculation method		
STOT RE 2; H373	Calculation method		

# Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
	,
H373	May cause damage to organs through prolonged or repeated exposure.
EUH204	Contains isocyanates. May produce an allergic reaction.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)